




collider

Lightweighted.
Intense dimmable LED for strong general lighting.
Aluminium body to reduce heat.
Directs light upwards, downwards or both.
Various surfaces – copper, brass, bronze, patina or glossy finish.
Excellent look in white, black or grey.

collider



colours



model	code	dimensions	lighting source
collider	COL.96	d960 h70	LED 84W, 3000K/4000K
collider up/down	COL.96.U/D	d960 h70	LED 168W, 3000K/4000K
collider	COL.120	d1200 h70	LED 126W, 3000K/4000K
collider up/down	COL.120.U/D	d1200 h70	LED 252W, 3000K/4000K
collider	COL.140	d1400 h70	LED 154W, 3000K/4000K
collider	COL.140.U/D	d1400 h70	LED 308W, 3000K/4000K
collider	COL.180	d1800 h70	LED 224W, 3000K/4000K
collider up/down	COL.180.U/D	d1800 h70	LED 448W, 3000K/4000K

- the body is manufactured of aluminium, powder coated in RAL colours
- dimming options: DALI on request

collider brass



model	code	dimensions	lighting source
collider brass coated	COL.96.B.	d960 h70	LED 84W, 3000K/4000K
collider u/d brass coated	COL.96.2.B.	d960 h70	LED 168W, 3000K/4000K
collider brass coated	COL.120.B.	d1200 h70	LED 126W, 3000K/4000K
collider u/d brass coated	COL.120.2.B.	d1200 h70	LED 252W, 3000K/4000K
collider u/d brass coated	COL.140.B.	d1400 h70	LED 154W, 3000K/4000K
collider u/d brass coated	COL.140.2.B.	d1400 h70	LED 308W, 3000K/4000K
collider brass coated	COL.180.B.	d1800 h70	LED 224W, 3000K/4000K
collider u/d brass coated	COL.180.2.B.	d1800 h70	LED 448W, 3000K/4000K

- the body is manufactured of aluminium with brass coating
- dimming options: DALI on request

www.wolfram.bg

collider copper



model	code	dimensions	lighting source
collider copper coated	COL.96.C.	d960 h70	LED 84W, 3000K/4000K
collider u/d copper coated	COL.96.2.C.	d960 h70	LED 168W, 3000K/4000K
collider copper coated	COL.120.C.	d1200 h70	LED 126W, 3000K/4000K
collider u/d copper coated	COL.120.2.C.	d1200 h70	LED 252W, 3000K/4000K
collider u/d copper coated	COL.140.C.	d1400 h70	LED 154W, 3000K/4000K
collider u/d copper coated	COL.140.2.C.	d1400 h70	LED 308W, 3000K/4000K
collider copper coated	COL.180.C.	d1800 h70	LED 224W, 3000K/4000K
collider u/d copper coated	COL.180.2.C.	d1800 h70	LED 448W, 3000K/4000K

- the body is manufactured of aluminium with copper coating
- dimming options: DALI on request

www.wolfram.bg