


shilo

Ceiling mounted minimalist lamp
for indirect illumination.
Suitable for general lighting
of spaces in different styles.
Available in various sizes tailored
according to the interior design.



shilo L



colours



ral 9010



ral 7022




ral 9005

model	code	dimensions	lighting source
shilo L 128	SHI.L.128	a1280 b40 h120	LED 22W 3000K/4000K
shilo L 165	SHI.L.165	a1650 b40 h120	LED 28W 3000K/4000K
shilo L 198	SHI.L.198	a1980 b40 h120	LED 35W 3000K/4000K

- the body is manufactured of aluminium, powder coated in RAL colours
- dimming options: DALI on request
- custom configurations on enquiries

shilo T




colours

- ral 7022
- ral 9010
- ral 9005




model	code	dimensions	lighting source
shilo T 233	SHI.T.233	a2330 b40 h120	LED 42W 3000K/4000K
shilo T 300	SHI.T.300	a3000 b40 h120	LED 56W 3000K/4000K
shilo T 360	SHI.T.360	a3600 b40 h120	LED 70W 3000K/4000K

- the body is manufactured of aluminium, powder coated in RAL colours
- dimming options: DALI on request
- custom configurations on enquiries

shilo U




colours

-  ral 7022
-  ral 9010
-  ral 9005



model	code	dimensions	lighting source
shilo U 240	SHI.U.240	a2400 b40 h120	LED 35W 3000K/4000K
shilo U 270	SHI.U.270	a2700 b40 h120	LED 42W 3000K/4000K
shilo U 330	SHI.U.330	a3300 b40 h120	LED 56W 3000K/4000K
shilo U 390	SHI.U.390	a3900 b40 h120	LED 70W 3000K/4000K

- the body is manufactured of aluminium, powder coated in RAL colours
- dimming options: DALI on request
- custom configurations on enquiries

shilo W




colours

-  ral 7022
-  ral 9010
-  ral 9005


model	code	dimensions	lighting source
shilo W 450	SHI.W.450	a4500 b40 h120	LED 96W 3000K/4000K
shilo W 570	SHI.W.570	a5700 b40 h120	LED 126W 3000K/4000K

- the body is manufactured of aluminium, powder coated in RAL colours
- dimming options: DALI on request
- custom configurations on enquiries

shilo + spot



colours



model	code	dimensions	lighting source
shilo spot 210	SHI.U.210.S2	a2100 b40 h120	LED 30W, 3000K/4000K + 2x5W
shilo spot 290	SHI.U.290.S2	a2900 b40 h120	LED 38W, 3000K/4000K + 2x5W
shilo spot 330	SHI.U.330.S2	a3300 b40 h120	LED 56W, 3000K/4000K + 2x5W
shilo spot 330	SHI.U.330.S4	a3300 b40 h120	LED 56W, 3000K/4000K + 4x5W
shilo spot 355	SHI.U.355.S4	a3550 b40 h120	LED 56W, 3000K/4000K + 2x5W
shilo spot 400	SHI.U.400.S2	a4000 b40 h120	LED 72W, 3000K/4000K + 2x5W
shilo spot 400	SHI.U.400.S4	a4000 b40 h120	LED 82W, 3000K/4000K + 4x5W

- the body is manufactured of aluminium, powder coated in RAL colours
- dimming options: DALI on request
- custom configurations on enquiries